

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1A




FIG. 1B




FIG. 1C




FIG. 1D




FIG. 1E




FIG. 1F




FIG. 1G




FIG. 1H





FIG. 3






FIG. 4




Top Side Bottom Side
 SO, 4 - 56 Pins, 2" X 2" Grid

FIG. 5




Top Side Bottom Side
 SOP, 4 - 72 Pins 0.8mm Pitch,
 2" X 2" Grid

FIG. 6




Top Side Bottom Side
 SOP, 4 - 72 Pins 0.65mm Pitch,
 2" X 2" Grid

FIG. 7




Top Side Bottom Side
 SOP, 4 - 72 Pins 0.5mm Pitch,
 2" X 2" Grid

FIG. 8




Top Side Bottom Side
 SOP, 4 - 72 Pins 0.4mm Pitch
 2" X 2" Grid

FIG. 9




Top Side Bottom Side
 QFP, 32 - 64 Pins 0.8mm Pitch,
 2" X 2" Grid

FIG. 10




Top Side Bottom Side
 QFP, 100 Pins 0.65mm Pitch,
 2" X 2" Grid

FIG. 11




Top Side Bottom Side
 QFP, 32 - 100 Pins 0.5mm Pitch,
 2" X 2" Grid

FIG. 12




PLCC, 20 - 84 Pins 0.05" Pitch,
 2" X 2" Grid

FIG. 13




T.H. Power and GND Strip
 0.5" X 2" Grid

FIG. 14




T.H. Drive Power Conn and Power Jack
 0.5" X 2" Grid

FIG. 15



T.H. ATX Power Connector
 0.5" X 2" Grid


FIG. 16



Top Side Bottom Side

T.H. Audio/RCA Jack
 0.5" X 2" Grid


FIG. 17



Top Side Bottom Side

T.H. DB 25 Connector
 0.5" X 2" Grid


FIG. 18



Top Side Bottom Side

T.H. JTAG 20 Pins 0.1" SP and IEEE1394
 0.5" X 2" Grid

FIG. 19



Top Side Bottom Side

T.H. RGB 15 Pins Connector
 0.5" X 2" Grid

FIG. 20




FIG. 21




FIG. 22